




Plan View (1:15)



Auxiliary View



Front Elevation (1:15)



Side Elevation (1:15)

A.1	1st Production Issue	20/05/2015	Richard
A	1st Issue	12/05/2015	Richard
REV	DESCRIPTION	DATE	AUTHOR

REVISION HISTORY



Description
**GRP Lead Effect
 Oriel Underbay**

Designed by
 Richard
 Scale

Date
 12/05/2015
 Checked
 DP

Manufacture Notes
 1. 5000 Fab.

Approved
 GP
 Manuf. App
 RS

Date
 20/05/2015
 Manuf. App
 20/05/2015

Drawing Number
1505025
 Sheet
1
 Of
2
 Revision
A.1

Oreil Bay Window roof supplied separately to be fixed as per standard arrangement. See Fixing Sheet 2.



GRP flange to be screw fixed to brickwork at max. 300mm centres all around.

Underbay to be fixed through downstand to internal timber framework supplied and fixed by others. Junction between GRP and window structure to be mastic sealed by others.



Amington Point, Sandy Way, Amington Ind. Est,
TAMWORTH, Staffordshire. B77 4ED

Description

Designed by
Richard
Scale

Date
12/05/2015
Checked
DP

Manufacture Notes

Approved
GP
Manuf. App
RS

Date
20/05/2015
Manuf. App
20/05/2015

Drawing Number
Sheet
2

1505025

Of
2

Revision
A.1